



TUCSON ENT AUDIOLOGY

BALANCE DISORDERS/ENG/VNG PRE-TEST INSTRUCTIONS

Your VNG/ENG is scheduled for:

Day: Date: Time:

The audiologist performing the VNG/ENG is:

Location of test

East: 2121 N Craycroft Rd, Bldg 5

NW:1358 W Orange Grove Rd.

IMPORTANT PRE-TEST INSTRUCTIONS FOR INNER EAR BALANCE TESTING

Dear Patient:

ENG/VNG (electronystagmography) (testing takes approximately 90 minutes)

1. **IMPORTANT INFORMATION:** Accurate inner ear function testing requires any medications that act on your central nervous system (CNS) or that suppress your inner ear function to be **stopped a full 48 hours prior to the testing appointment.** This would include any medications you take for dizziness, including Antivert, Meclizine, Valium, Dramamine, or scopolamine patches. If you forget and take any of the above medications in the 48 hours prior to your testing appointment, we will be unable to perform your test and we will need to reschedule your appointment in order to obtain reliable results.
2. **Other CNS acting medications that need to be stopped 48 hours prior to your appointment** would include, but are not limited to: Anti-depressants (Zoloft, Prozac, Wellbutrin), sleeping pills, tranquilizers, anti-anxiety medications, sedatives, prescription pain killers that contain narcotics (Tylenol #3, etc.), any cold or allergy medications that make you sleepy such as Benadryl, Nyquil etc. **However, some medications should not be stopped abruptly. Please check with your pharmacist or the physician who wrote the prescription with any questions or concerns regarding stopping these medications. *If your physician does not want you to stop any of the meds mentioned in this paragraph, please let the clinic know when you present for your appointment.***
3. Do not drink alcohol for 48 hours prior to this appointment. (includes hard liquor, wine, or beer)
4. No coffee, tea, or cola (except decaf) **after midnight on the day of the test.**

5. IMPORTANT INFORMATION: CONTINUE THESE TYPES OF MEDICATIONS:

Continue anything you take for heart or kidney problems, high blood pressure, circulatory disorders, blood thinners, breathing disorders, diabetes, cancer, arthritis (non-narcotics), seizures, or hormone imbalance. You may also continue vitamins, steroids, antibiotics, water pills (diuretics). You may take over-the-counter painkillers such as Tylenol, Advil, ibuprofen, aspirin, and acetaminophen etc.

6. We ask that you try **not to eat approximately two hours** prior to the test. Part of the test can make you briefly dizzy and may cause nausea. If you need to eat in the two hours prior to testing, please keep the meal light. Keep liquids to a minimum as well.
7. Please **do not wear contact lenses**. ENG/VNG testing requires measurement of eye movements and contact lenses interfere with accurate recordings. If you wear your contacts to the appointment, please bring your lens case.
8. Please do not wear **ANY** eye make-up and make sure any residual eye make-up is completely removed. Also, we would prefer that you have little to no make-up on your face, so please wear a minimal amount of **moisturizer, cream, lotion, or foundation make-up**. Face powder is okay.
9. Some patients experience slightly increased symptoms of dizziness after testing and **you may wish to have someone available to drive you home**.

Please call us if you have any questions or need to schedule, reschedule or cancel an appointment: (520) 777-0495.

Please give at least 48 hours notice if you must cancel or reschedule your test.
There is a \$50.00 fee for any appointment that is canceled or missed without a 48 hour notice.